

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PROCEEDINGS

ΟF

THE ROYAL SOCIETY.

1836.

No. 26.

June 2, 1836.

DAVIES GILBERT, Esq., V.P., in the Chair.

A paper was read, entitled "Note relative to the supposed origin of the deficient rays in the Solar Spectrum; being an account of an experiment made at Edinburgh during the Annular Eclipse of May 15, 1836." By James D. Forbes, Esq., Professor of Natural Philosophy in the University of Edinburgh.

The observation that some of the rays of light, artificially produced, are absorbed by transmission through nitrous acid gas, had suggested to Sir David Brewster the idea that the dark spaces in the solar prismatic spectrum may, in like manner, be occasioned by the absorption of the deficient rays during their passage through the sun's atmosphere. It occurred to the author that the annular eclipse of the sun of the present year would afford him an opportunity of ascertaining whether any difference in the appearance of the spectrum could be detected when the light came from different parts of the solar disc, and had consequently traversed portions of the sun's atmosphere of very different thickness; and that accurate observations of this kind would put the hypothesis in question to a satisfactory test. The result of the experiment was that no such differences could be perceived; thus proving, as the author conceives, that the sun's atmosphere is in no way concerned with the production of the singular phenomenon of the existence of dark lines in the solar spectrum.

A paper was also read, entitled "On the connexion of the anterior columns of the Spinal Cord with the Cerebellum; illustrated by preparations of these parts in the Human subject, the Horse, and the Sheep." By Samuel Solly, Esq., Lecturer on Anatomy and Physiology at St. Thomas's Hospital, M.R.I., Fellow of the Royal Medical and Chirurgical Society, and Member of the Hunterian Society. Communicated by P. M. Roget, M.D., Sec. R.S.

The exact line of demarcation between the tracts of nervous matter, subservient to motion and to sensation, which compose the spinal cord, has not yet been clearly determined. The proofs which exist of a power residing in the cerebellum which regulates and controls the